

# Out of the Bag

---

60" x 72"



## Light Fabrics:

16 – 3-3/4" x 5-1/2" rectangles (A)

From each of 12 different lights, cut:

1 – 3-3/4" x 5-1/2" rectangles (B)

2 – 2" x 7" rectangles (C)

1 – 2" x 8-1/2" rectangles (D)

## Dark Fabrics:

12 – 3-3/4" x 5-1/2" rectangles (E)

From each of 16 different darks, cut:

1 – 3-3/4" x 5-1/2" rectangles (F)

2 – 2" x 7" rectangles (G)

1 – 2" x 8-1/2" rectangles (H)

## Binding:

8 – 2-1/2" strips

## Outer Border Fabric:

8 – 4-1/2" strips (I)

4 – 3-3/4" x 5-1/2" rectangles (J)


## Middle Border:

7 – 1-1/2" strips (O)


First Border & Triangle Fabric:

- 4 – 3-3/4" x 5-1/2" rectangles (K)
- 8 – 2" x 7" rectangles (L)
- 4 – 2" x 8-1/2" rectangles (M)
- 6 – 2-1/2" strips (N)


Cut 4 – 12-5/8" squares. Cut each on the diagonal twice so you get 14 triangles. (Setting /SideTriangles)




Cut 2 – 6-5/8" squares. Cut these on the diagonal once so you have 4 triangles. (Corner Triangles)




1. Sew the (A) rectangles to the (F) rectangles. Press the seam allowances towards the darker fabric. Make 16.



2. Sew the (G) rectangles to the two longer sides. Press the seam allowances towards the (G) pieces.



3. Sew the (H) rectangle to the bottom. Press the seam allowance towards the (H) piece.




Set those blocks aside. You should have 16 of them, right?


4. Sew the (B) rectangles to the (E) rectangles. Press the seam allowances towards the darker fabric. Make 12.




4. Sew the (C) rectangles to the two longer sides. Press the seam allowances towards the (C) pieces.




5. Sew the (D) rectangle to the bottom. Press the seam allowance towards the (D) piece.




6. Sew the (I) rectangles to the (K) rectangles. Press the seam allowances towards the darker fabric. Make 4.




7. Sew the (L) rectangles to the two longer sides. Press the seam allowances towards the (L) pieces.



8. Sew the (M) rectangle to the bottom. Press the seam allowance towards the (M) piece.



9. Sew a Side Triangle to the left and right side of one of the four blocks just made. Sew a Corner Triangle to the top.




10. For the next row, sew three blocks together with a Side Triangle on each end.



11. Sew five blocks together with a Side Triangle on each end.



12. Continue creating the rows. Sew the rows together to form the center of the top.



13. Sew the 2-1/2" strips (N) together to form lengths for the first border. Attach to the sides first; then to the top and bottom. The side borders should be 57" (28.5") in length, including seam allowances. The top and bottom borders should measure 49.75", including seam allowances.

14. Sew together the 1-1/2" strips (O) together to form lengths for the middle border. Attach to the sides first; then to the top and bottom.

15. Sew together the 4-1/2" strips (I) together to form lengths for the outer border. Attach to the sides first; then to the top and bottom.